





F60/500 - IMC Vulture 725 In-tabling Food Waste Disposer - 1 Phase [air break] - W 338 mm - 1.1 kW Reliable, efficient, safe and easy to operate, the compact 725 Waste Disposer allows operators to quickly and effectively remove waste, to create a safer and cleaner kitchen.

- Fast and efficient disposal of up to 400kg of food waste per hour.
- Handles up to 850 covers per sitting ideal for medium-size kitchens.
- For medium waste (plate waste, vegetables and peelings, meat and fish scraps).
- Compact design allows hopper to be tablemounted, for quick and easy loading.

- Manually reversible motor to extend operational life.
- With class A airbreak kit recommended when connecting to a mains water supply.
- Suitable for medium kitchens with single-phase power supply.

Specifications					
Summary		Power and Performance			
Brand	IMC	Total Power kW	1.1		
Range	Vulture	НР	1.5		
Series	700 Series	IP Rating	IP55		
Power Type	Electric				
Unit Type	Welded into tabling				
Available in UK Only	No				
UK Warranty	2 Years Parts and Labour Warranty				
Export Warranty	Contact your local dealer				
Mounting	In-tabling				
GTIN	5056105199533				
Key Specifications		Capacity			
Operator Safety	Interlocks	Type of Waste	Medium waste		
WRAS Approved	WRAS Compliant	Covers Per Sitting	850		
Airbreak	Yes	Capacity Kg per Hour	400		

Operator Safety WRAS Approved Airbreak Weights and Dimensions	Interlocks WRAS Compliant Yes	Type of Waste Covers Per Sitting Capacity Kg per Hour Supply Connections	Medium waste 850 400
Unit Height (External) mm	853	Requires Installation	Yes
Unit Width (External) mm	340	Requires Electrical Supply	Yes
Unit Depth (External) mm	472	UK 3 Pin Plug	No
Net Weight Kg	39.5	Requires Hardwiring	Yes
		Electrical Supply Rating Watts	1100
		Single Phase Amps	7.4
		Single Phase Voltage	230
		Water Supplied From	Mains or storage cistern
		Water Connection Pressure Bar	0.4
		Drain Connection	2" BSP threaded flange, connected to 54mm piping;
		Water Connection	15mm





Shipping

Packed Weight Kg47.5Packed Height cm104Packed Width cm48Packed Depth cm63

Available Options


MAG CUTLERY SAVER


VS167 700/800/904/904X MAGNETIC CUTLERY SAVER


WATER FLOW CONTROL


VS355 725 WATER FLOW CONTROL

Technical Picture















Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm