





F60/100 - IMC Vulture 725 In-tabling Food Waste Disposer - 1 Phase - W 338 mm - 1.1 kW Reliable, efficient, safe and easy to operate, the compact 725 Waste Disposer allows operators to quickly and effectively remove waste, to create a safer and cleaner kitchen.

- Fast and efficient disposal of up to 400kg of food waste per hour.
- Handles up to 850 covers per sitting ideal for medium-size kitchens.
- For medium waste (plate waste, vegetables and peelings, meat and fish scraps).
- Compact design allows hopper to be tablemounted, for quick and easy loading.
- Manually reversible motor to extend operational life.
- Suitable for medium kitchens with single-phase power supply.

Series Power Type Unit Type Available in UK Only UK Warranty Export Warranty Mounting GTIN Key Specifications Operator Safety WRAS Approved	IMC Vulture 700 Series Electric Welded into tabling No 2 Years Parts and Labour Warranty Contact your local dealer In-tabling 5056105199526  Interlocks	Total Power kW HP IP Rating  Capacity  Type of Waste	1.1 1.5 IP55
Range Series Power Type Unit Type Available in UK Only UK Warranty Export Warranty Mounting GTIN Key Specifications Operator Safety WRAS Approved	Vulture 700 Series Electric Welded into tabling No 2 Years Parts and Labour Warranty Contact your local dealer In-tabling 5056105199526	HP IP Rating  Capacity  Type of Waste	1.5 IP55
Series Power Type Unit Type Available in UK Only UK Warranty Export Warranty Mounting GTIN Key Specifications Operator Safety WRAS Approved	700 Series Electric Welded into tabling No 2 Years Parts and Labour Warranty Contact your local dealer In-tabling 5056105199526	IP Rating  Capacity  Type of Waste	IP55
Power Type Unit Type Available in UK Only UK Warranty Export Warranty Mounting GTIN Key Specifications Operator Safety WRAS Approved Airbreak	Electric Welded into tabling No 2 Years Parts and Labour Warranty Contact your local dealer In-tabling 5056105199526 Interlocks	Capacity Type of Waste	
Unit Type Available in UK Only UK Warranty Export Warranty Mounting GTIN Key Specifications Operator Safety WRAS Approved	Welded into tabling No 2 Years Parts and Labour Warranty Contact your local dealer In-tabling 5056105199526  Interlocks	Type of Waste	Madium wasta
Available in UK Only UK Warranty Export Warranty Mounting GTIN Key Specifications Operator Safety WRAS Approved	No 2 Years Parts and Labour Warranty Contact your local dealer In-tabling 5056105199526  Interlocks	Type of Waste	Madium wasta
UK Warranty Export Warranty Mounting GTIN Key Specifications Operator Safety WRAS Approved	2 Years Parts and Labour Warranty Contact your local dealer In-tabling 5056105199526	Type of Waste	Madium waste
Export Warranty  Mounting  GTIN  Key Specifications  Operator Safety  WRAS Approved	Contact your local dealer In-tabling 5056105199526 Interlocks	Type of Waste	Madium waste
Mounting GTIN  Key Specifications  Operator Safety  WRAS Approved	In-tabling 5056105199526 Interlocks	Type of Waste	Madium waste
GTIN  Key Specifications  Operator Safety  WRAS Approved	5056105199526  Interlocks	Type of Waste	Madiumwasta
Key Specifications  Operator Safety  WRAS Approved	Interlocks	Type of Waste	Madiumwasta
Operator Safety WRAS Approved		Type of Waste	Madium wasta
WRAS Approved			Medium waste
• •	WD400 1: 1516 : 1 ( 13		i icaiaiii waste
Airbreak	WRAS Compliant [if cistern fed]	Covers Per Sitting	850
	No	Capacity Kg per Hour	400
Weights and Dimensions		Supply Connections	
Unit Height (External) mm	733	Requires Installation	Yes
Unit Width (External) mm	340	Requires Electrical Supply	Yes
Unit Depth (External) mm	472	UK 3 Pin Plug	No
Net Weight Kg	39.5	Requires Hardwiring	Yes
		Electrical Supply Rating Watts	1100
		Single Phase Amps	7.4
		Single Phase Voltage	230
		Water Supplied From	Storage cistern
		Water Connection Pressure Bar	0.4
		Drain Connection	2" BSP threaded flange, connected to 54mm piping;
		Water Connection	15mm
Shipping			
Packed Weight Kg	47.5		
Packed Height cm	104		
Packed Width cm	48		





## **Available Options**


MAG CUTLERY SAVER


**VS167** 700/800/904/904X MAGNETIC CUTLERY SAVER


WATER FLOW CONTROL


**VS355** 725 WATER FLOW CONTROL

## **Technical Picture**















**Lincat Limited** 

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

**Company No:** 2175448

A member company of

**Customer Care** 

**Tel:** +44 1522 875500

Email: care@lincat.co.uk

**Export Customers** 

**Tel:** +44 1522 503250

Email: export@lincat.co.uk

**Opening Hours** 

Monday - Friday:

8.30am - 5pm