





F60/444 - IMC Vulture 725 In-tabling Food Waste Disposer - 3 Phase [4 wire][air break] - W 338 mm - 1.1 kW Reliable, efficient, safe and easy to operate, the compact 725 Waste Disposer allows operators to quickly and effectively remove waste, to create a safer and cleaner kitchen.

- Fast and efficient disposal of up to 400kg of food waste per hour.
- Handles up to 850 covers per sitting ideal for medium-size kitchens.
- For medium waste (plate waste, vegetables and peelings, meat and fish scraps).
- Compact design allows hopper to be tablemounted, for quick and easy loading.

- Constructed from hygienic stainless steel with interlocks for operator safety.
- Manually reversible motor to extend operational life.
- With class A airbreak kit recommended when connecting to a mains water supply.

Specifications			
Summary		Power and Performance	
Brand Range Series Power Type Unit Type Available in UK Only UK Warranty	IMC Vulture 700 Series Electric Welded into tabling No 2 Years Parts and Labour Warranty	Total Power kW HP IP Rating	1.1 1.5 IP55
Export Warranty Mounting GTIN  Key Specifications	Contact your local dealer In-tabling 5056105199557	Capacity	
Operator Safety WRAS Approved Airbreak	Interlocks WRAS Compliant Yes	Type of Waste Covers Per Sitting Capacity Kg per Hour	Medium waste 850 400
Weights and Dimensions		Supply Connections	

Operator Safety WRAS Approved Airbreak Weights and Dimensions	Interlocks WRAS Compliant Yes	Type of Waste Covers Per Sitting Capacity Kg per Hour Supply Connections	Medium waste 850 400
Weights and Dimensions		Supply Confidentions	
Unit Height (External) mm	853	Requires Installation	Yes
Unit Width (External) mm	340	Requires Electrical Supply	Yes
Unit Depth (External) mm	472	UK 3 Pin Plug	No
Net Weight Kg	39.5	Requires Hardwiring	Yes
		<b>Electrical Supply Rating Watts</b>	1100
		Three Phase Amps	2.8
		Three Phase Voltage	400
		Water Supplied From	Mains or storage cistern
		Water Connection Pressure Bar	0.4
		Drain Connection	2* BSP threaded flange, connected to 54mm piping;
		Water Connection	15mm





## Shipping

Packed Weight Kg47.5Packed Height cm104Packed Width cm48Packed Depth cm63

## **Available Options**


## MAG CUTLERY SAVER


VS167 700/800/904/904X MAGNETIC CUTLERY SAVER


WATER FLOW CONTROL


VS355 725 WATER FLOW CONTROL

## **Technical Picture**















**Lincat Limited** 

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

**Company No:** 2175448

A member company of

**Customer Care** 

**Tel:** +44 1522 875500

Email: care@lincat.co.uk

**Export Customers** 

**Tel:** +44 1522 503250

Email: export@lincat.co.uk

**Opening Hours** 

Monday - Friday:

8.30am - 5pm