





F60/515 - IMC Vulture 725 In-tabling Food Waste Disposer - 3 Phase [5 wire][air break] - W 338 mm - 1.1 kW Reliable, efficient, safe and easy to operate, the compact 725 Waste Disposer allows operators to quickly and effectively remove waste, to create a safer and cleaner kitchen.

- Fast and efficient disposal of up to 400kg of food waste per hour.
- Handles up to 850 covers per sitting ideal for medium-size kitchens.
- For medium waste (plate waste, vegetables and peelings, meat and fish scraps).
- Compact design allows hopper to be tablemounted, for quick and easy loading.

- Constructed from hygienic stainless steel with interlocks for operator safety.
- Manually reversible motor to extend operational life.
- With class A airbreak kit recommended when connecting to a mains water supply.

Specifications				
Summary		Power and Performance		
Brand Range Series Power Type Unit Type Available in UK Only UK Warranty Export Warranty Mounting GTIN	IMC Vulture 700 Series Electric Welded into tabling No 2 Years Parts and Labour Warranty Contact your local dealer In-tabling 5056105199571	Total Power kW HP IP Rating	1.1 1.5 IP55	
Key Specifications		Capacity		
Operator Safety WRAS Approved Airbreak	Interlocks WRAS Compliant Yes	Type of Waste Covers Per Sitting Capacity Kg per Hour	Medium waste 850 400	
Weights and Dimensions		Supply Connections		
Unit Height (External) mm	853	Requires Installation	Yes	

Operator Safety	Interlocks	Type of waste	Medium waste
WRAS Approved	WRAS Compliant	Covers Per Sitting	850
Airbreak	Yes	Capacity Kg per Hour	400
Weights and Dimensions		Supply Connections	
Unit Height (External) mm	853	Requires Installation	Yes
Unit Width (External) mm	340	Requires Electrical Supply	Yes
Unit Depth (External) mm	472	UK 3 Pin Plug	No
Net Weight Kg	39.5	Requires Hardwiring	Yes
		Electrical Supply Rating Watts	1100
		Three Phase Amps	2.8
		Three Phase Voltage	400
		Water Supplied From	Mains or storage cistern
		Water Connection Pressure Bar	0.4
		Drain Connection	2" BSP threaded flange, connected to 54mm piping;
		Water Connection	15mm





Shipping

Packed Weight Kg47.5Packed Height cm104Packed Width cm48Packed Depth cm63

Available Options


MAG CUTLERY SAVER


VS167 700/800/904/904X MAGNETIC CUTLERY SAVER


WATER FLOW CONTROL


VS355 725 WATER FLOW CONTROL

Technical Picture















Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm