# lincat

# SILVERLINK 600



DF33 - Lincat Silverlink 600 Electric Counter-top Single Tank Fryer - 1 Basket - W 300 mm - 3.0 kW

The Silverlink 600 Electric Counter Top Fryer delivers 12kg of chips per hour, and it's perfect for use in cafes, pubs and restaurants.

- Delivering 12kg of chips per hour, perfect for cafes, pubs and restaurants
- Front mounted controls for safety
- Hinged elements to give easy access during cleaning
- Cool zone collects cooking debris gives cleaner cooking results and saves money by prolonging the life of the oil
- Thermostatically controlled to give accurate cooking temperatures throughout cooking. Failsafe top temperature cut out ensures safe operation.
- Fully moulded 304 stainless steel tank and heavy duty nickel plated baskets for the most demanding of operations
- Front drain off tap for easy removal of cooking oil
- Plug and play for an easy installation

### Specifications

Summary		Power and Performance	
Brand Range Power Type Unit Type Available in UK Only UK Warranty Export Warranty GTIN	Lincat Silverlink 600 Electric Counter-top No 2 Years Parts and Labour Warranty Contact your local dealer 5056105100027	Total Power kW Temperature Range °C IP Rating Temperature Control	3.0 130-190 IP33 Mechanical
Key Specifications		Capacity	
Number of Baskets Number of Tanks Gravity Filtration Pumped Filtration Drain Location	1 1 No Front-mounted	Product Output per Hour Capacity Litres	8kg chips - 12mm [frozen], 12kg chips - 12mm [chil 9.0
Weights and Dimensions		Supply Connections	
Unit Height (External) mm Unit Width (External) mm Unit Depth (External) mm Net Weight Kg	330 300 600 13	Requires Installation Requires Electrical Supply UK 3 Pin Plug Requires Hardwiring Electrical Supply Rating Watts Single Phase Amps Single Phase Voltage	No Yes Yos 3,000 13.0

#### Shipping


17
49.5
70
40


# lincat


## SILVERLINK 600


Available Accessories		
CC3	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 300 mm	
CN3	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 300 mm	
HC3	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 300 mm - 0.25 kW	
HCL3	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 300 mm - 0.25 kW	
SLS3	Lincat Silverlink 600 Free-standing Floor Stand - for units W 300 mm	

### **Technical Picture**











## **SILVERLINK 600**

# Lincat frifri

### Lincat Limited

Whisby Road, Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of



### Export Customers

**Customer Care** 

Tel: +44 1522 875500

Email: care@lincat.co.uk

Tel: +44 1522 503250 Email: export@lincat.co.uk

### **Opening Hours**

Monday – Friday: 8.30am – 5pm