

SILVERLINK 600



DF612 - Lincat Silverlink 600 Electric Counter-top Twin Tank Fryer - 2 Baskets - W 600 mm - 2 x 6.0 kW

The Silverlink 600 Electric Twin Tank Counter Top Fryer not only provides greater versatility, but also increased power capable of delivering 52kg of chips per hour.

- Two independently operated fryer tanks for greater versatility, increased power delivers 52kg of chips per hour
- Front mounted controls for safety
- Hinged elements to give easy access during cleaning
- Cool zone collects cooking debris gives cleaner cooking results and saves money by prolonging the life of the oil
- Thermostatically controlled to give accurate cooking temperatures throughout cooking. Failsafe top temperature cut out ensures safe operation.
- Fully moulded 304 stainless steel tank and heavy duty nickel plated baskets for the most demanding of operations
- Front drain off tap for easy removal of cooking oil

S	peci	rica	tior	18

Summary		Power and Performance		
Brand Range Power Type Unit Type Available in UK Only UK Warranty Export Warranty	Lincat Silverlink 600 Electric Counter-top No 2 Years Parts and Labour Warranty Contact your local dealer	Total Power kW Temperature Range °C IP Rating Temperature Control	2 x 6.0 130-190 IP33 Mechanical	
GTIN Key Specifications	5056105104643	Capacity		
Number of Baskets Number of Tanks Gravity Filtration Pumped Filtration Drain Location	2 2 No No Front-mounted	Product Output per Hour Capacity Litres	36kg chips - 12mm [frozen], 52kg chips 12mm [chi 2 x 9.0	
Weights and Dimensions	3	Supply Connections		

Weights and Dimensions		Supply Connections	
Unit Height (External) mm	330	Requires Installation	Yes
Unit Width (External) mm	600	Requires Electrical Supply	Yes
Unit Depth (External) mm	632	UK 3 Pin Plug	No
Net Weight Kg	25	Requires Hardwiring	Yes
		Electrical Supply Rating Watts	2 × 6,000
		Single Phase Amps	2 × 26.0
		Single Phase Voltage	230
		Three Phase Amps	L1=2 x 13.0; L2=2 x 13.0; L3=N/A
		Three Phase Voltage	400
Shipping			

01.				
Shi	n		m	
Oilli	124	34	ш	ĸ

Packed Weight Kg	31
Packed Height cm	49.5
Packed Width cm	70
Packed Depth cm	70




SILVERLINK 600


Available Accessories


BA96	BASKET SPUN DFSMALL
CC6	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 600 mm
CN6	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm
HC6	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 600 mm - 0.5 kW
HCL6	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 600 mm - 0.5 kW


SLS6 Lincat Silverlink 600 Free-standing Floor Stand - for units W 600 mm

Technical Picture









Product Code: DF612 Page Number: 2 Print Date: 04/02/2020







Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

-

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm



Product Code: DF612 Page Number: 3 Print Date: 04/02/2020