## lincat

### SILVERLINK 600



DF618 - Lincat Silverlink 600 Electric Counter-top Twin Tank Fryer - 2 Baskets - W 600 mm - 2 x 9.0 kW

- Two independently operated fryer tanks for greater versatility, increased power delivers 60kg of chips per hour
- Front mounted controls for safety
- Hinged elements to give easy access during cleaning
- Cool zone collects cooking debris gives cleaner cooking results and saves money by prolonging the life of the oil

The Silverlink 600 Electric Twin Tank Counter Top Fryer not only provides greater versatility, but also increased power capable of delivering 60kg of chips per hour.

- Thermostatically controlled to give accurate cooking temperatures throughout cooking. Failsafe top temperature cut out ensures safe operation.
- Fully moulded 304 stainless steel tank and heavy duty nickel plated baskets for the most demanding of operations

Front drain off tap for easy removal of cooking oil

#### Specifications

Summary		Power and Performance	
Brand	Lincat	Total Power kW	2×9.0
Range	Silverlink 600	Temperature Range °C	130-190
Power Type	Electric	IP Rating	IP33
Unit Type	Counter-top	Temperature Control	Mechanical
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105104650		
Key Specifications		Capacity	
Number of Baskets	2	Product Output per Hour	52kg chips - 12mm [frozen], 60kg chips -
Number of Tanks	2		12mm[chi
Gravity Filtration	No	Capacity Litres	2×9.0
Pumped Filtration	No		
Drain Location	Front-mounted		
Weights and Dimensions		Supply Connections	
Unit Height (External) mm	330	Requires Installation	Yes
Jnit Width (External) mm	600	Requires Electrical Supply	Yes
Jnit Depth (External) mm	632	UK 3 Pin Plug	No
Net Weight Kg	27	Requires Hardwiring	Yes
		Electrical Supply Rating Watts	2×9,000
		Single Phase Amps	2×39.0
		Single Phase Voltage	230
		Three Phase Amps	L1=2 x 13.0; L2=2 x 13.0; L3=2 x 13.0
		Three Phase Voltage	400
Shipping			
Packed Weight Kg	33		
Packed Height cm	49.5		

Packed Width cm

Packed Depth cm

70

70


## lincat


### SILVERLINK 600


#### **Available Accessories**


BA96	BASKET SPUN DFSMALL		
CC6	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 600 mm		
CN6	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm		
HC6	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 600 mm - 0.5 kW		
HCL6	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 600 mm - 0.5 kW		
SLS6	Lincat Silverlink 600 Free-standing Floor Stand - for units W 600 mm		

#### **Technical Picture**











### **SILVERLINK 600**

# Lincat frifri

#### Lincat Limited

Whisby Road, Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of



**Customer Care** 

Tel: +44 1522 875500

Email: care@lincat.co.uk

#### Export Customers

Tel: +44 1522 503250 Email: export@lincat.co.uk

#### **Opening Hours**

Monday – Friday: 8.30am – 5pm