



## EC08 - Lincat Electric Counter-top Convection Oven - W 787 mm - D 644 mm - 3.0 kW

Cook your way with this versatile 3kW Lincat Electric Convection Oven.

- ✓ Designed to meet the needs of even the most demanding professional kitchen. Versatile and great for roasts, pizzas, pies and bakery products
- ✓ The excellent twin fan air circulation system delivers a highly efficient air circulation ensuring consistent, even and faster cooking times
- ✓ Accommodates 1/1GN containers for convenient operation
- ✓ Fast heat up from cold saves time and money and fast recovery times
- ✓ Water injection facility gives a professional finish to breads and pastries. The useful cook and hold facility reduces oven temperature to 80 degs C at end of cooking period
- ✓ Double-glazed door for energy efficiency
- ✓ Stackable for added flexibility and to make the best of use of floorspace
- ✓ Robust stainless steel construction

### Specifications

#### Summary

<b>Brand</b>	Lincat
<b>Range</b>	Specialist
<b>Power Type</b>	Electric
<b>Unit Type</b>	Counter-top
<b>Available in UK Only</b>	No
<b>UK Warranty</b>	2 Years Parts and Labour Warranty
<b>Export Warranty</b>	Contact your local dealer
<b>GTIN</b>	5056105101673

#### Power and Performance

<b>Total Power kW</b>	3.0
<b>Temperature Range °C</b>	50-300
<b>IP Rating</b>	IP23
<b>Controls Position</b>	Right hand side
<b>Temperature Control</b>	Mechanical
<b>Timer Range mins</b>	1-60; 1-180
<b>Oven Rating kW</b>	3.0

## Key Specifications

Stackable	Yes
Feet Height/Type	25mm/adjustable
Continuous Plug-In Door Seal	Yes
Removable Inner Door Glass	Yes
Handle Type	Pendulum
Vented Door	Yes
Reversible Door	No
Door Type	Left Hinged
Phased Cooking	No
Shelf Timer(s) (Number)	No
Grill Element/Mode	No
Core Temp Probe	No
Steam Injection	Yes
Fan(s) Speed	1
Fan(s) Type	Single Direction
Number of Fan(s)	2
Euronorm Compatible	Yes
Sheet Pan Compatible	Yes
Removeable Shelf Guides	Yes
Manual Mode	Yes
Programmable	No
Timer Type	2 x Mechanical
Number of Shelves included	3
Number of Shelf Positions	3
Type of Lighting	Filament Bulb
Construction/Finish	430 S/S exterior/cavity
GN Compatible	Yes

## Capacity

Gastronorm Capacity	3 x GN1/1
Euronorm Capacity	3
Shelf Spacing mm	110
Sheet Pan Capacity	3 x 460 mm x 330 mm
Capacity Litres	130.0

## Weights and Dimensions

Unit Height (External) mm	575
Unit Width (External) mm	787
Unit Depth (External) mm	644
Height (Internal) mm	430
Width (Internal) mm	600
Depth (Internal) mm	504
Shelf Dimensions Width mm	530
Shelf Dimensions Depth mm	325
Net Weight Kg	66.9

## Supply Connections

Requires Installation	No
Requires Electrical Supply	Yes
UK 3 Pin Plug	Yes
Requires Hardwiring	No
Electrical Supply Rating Watts	3,000
Single Phase Amps	13.0
Single Phase Voltage	230
Water Connection Pressure Bar	0.2-10.0
Drain Connection	No
Water Connection	3/4" BSPT
USB Port	No




## Shipping

Packed Weight Kg	83.7
Packed Height cm	86
Packed Width cm	91
Packed Depth cm	80

## Available Accessories

EC08/FS	Floor Stand for EC08
EC08/LFS	EC08 LOW FLOOR STAND
EC08/SK	EC08 STACKING KIT

## Technical Picture



**Lincat Limited**

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



**Customer Care**

**Tel:** +44 1522 875500  
**Email:** care@lincat.co.uk

**Export Customers**

**Tel:** +44 1522 503250  
**Email:** export@lincat.co.uk

**Opening Hours**

**Monday – Friday:**  
8.30am – 5pm