lincat





GR3/N - Lincat Silverlink 600 Natural Gas Countertop Salamander Grill - W 600 mm - 5.0 kW

The Silverlink 600 Gas Salamander Grill boasts even heat distribution for maximum output, meaning that producing perfectly grilled meat, fish, and toast has never been as simple or stress-free.

- Powerful ceramic plaque burners for rapid heat up Ø
- 5 shelf positions to give maximum flexibility for all catering operations
- Chrome wire shelf to allow trays and food to be placed on for cooking

Power and Performance

- Cool touch handles for safety
- Enamelled interior and hood for easy cleaning
- Removable crumb tray, making it effortless to keep clean

Specifications

Summary	

Brand Range Power Type Gas Type Unit Type Available in UK Only UK Warranty Export Warranty GTIN	Lincat Silverlink 600 Gas Natural Gas Counter-top No 2 Years Parts and Labour Warranty Contact your local dealer 5056105104735	BTU per Hour Total Power kW Cooking Area (Width x Depth) mm Temperature Control	17,060 5.0 410 x 230 Mechanical
Key Specifications		Capacity	
Number of Shelves included Number of Shelf Positions Number of Heat Zones	1 4 1	Product Output per Hour	42 x 115g [4oz] burgers [frozen], 24 x 225g [8oz]
Weights and Dimensions		Supply Connections	
Unit Height (External) mm Unit Width (External) mm Unit Depth (External) mm Shelf Dimensions Width mm Shelf Dimensions Depth mm Net Weight Kg	408 600 423 410 225 20.5	Requires Installation Gas Connection BSP Gas Consumption at full rate Natural m ³ per Hour Gas Pressure Natural mbar Total heat input at full rate Natural kW Total heat input at full rate Natural BTU per hour	Yes 1/2* 0.48 20 5 17,100
Shipping			

Packed Weight Kg	24.2
Packed Height cm	49.5
Packed Width cm	70
Packed Depth cm	55


Available Accessories	
ABP03	BRANDING PLATE KIT
CH01	Caterflex Hose 1/2" - 1 Metre - for use with units up to 66,000 BTU
CH02	Caterflex Hose 1/2" - 1.5 Metre - for use with units up to 56,000 BTU


lincat


SILVERLINK 600

Available Accessories	
GR3/BS	BENCH STAND FOR GR3 - H410, D350, W605
GR3/FS	FLOOR STAND FOR GR3 - H1260, D350, W605
GR3/WS	Wall Shelf for GR3

Technical Picture









SILVERLINK 600

Lincat frifri

Lincat Limited

Whisby Road, Lincoln, LN6 30Z,

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250 Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm