lincat

SILVERLINK 600



GS4/C - Lincat Silverlink 600 Electric Counter-top Griddle - Chrome Plate -W 450 mm - 2.7 kW

- Chrome surface heats up quicker than standard griddles with less energy loss as well as reduced energy radiation, keeping the kitchen cooler for staff and reducing pressure on the ventilation system
- Transfers heat to food more efficiently than a standard griddle
- Thermostatically controlled to give accurate temperatures during the cooking process for consistent results

Power and Performance

Whether you're cooking eggs, bacon, burgers or vegetables, the versatile Silverlink 600 Electric Griddle won't let you down.

- Removable front drainer drawer which also makes for easy cleaning. Ideal for busy establishments
- The plate is fully welded into the frame to prevent leaks and places where food and carbon can build up

Specifications

Summary

· · · · · · · · · · · · · · · · · · ·			
Brand	Lincat	Total Power kW	2.7
Range	Silverlink 600	Temperature Range °C	50-250
Power Type	Electric	IP Rating	IP23
Unit Type	Counter-top	Cooking Area (Width x Depth) mm	412 x 405
Available in UK Only	No	Temperature Control	Mechanical
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105100126		
Key Specifications			
Number of Heat Zones	2		
Grill Plate Surface Type	Smooth		
Grill Plate Material	Chrome		
Weights and Dimensions		Supply Connections	
Unit Height (External) mm	330	Requires Installation	No
Unit Width (External) mm	450	Requires Electrical Supply	Yes
Unit Depth (External) mm	600	UK 3 Pin Plug	Yes
Net Weight Kg	32	Requires Hardwiring	No
		Electrical Supply Rating Watts	2,700
		Single Phase Amps	11.7

Single Phase Voltage

Three Phase Voltage

230

400

Shipping

Packed Weight Kg	43
Packed Height cm	63.5
Packed Width cm	70
Packed Depth cm	55

Available Accessories

CC4 CN4

Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 450 mm

Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 450 mm

Product Code: GS4/C


Page Number: 1

lincat


SILVERLINK 600

Available Accessories		
HC4	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 450 mm - 0.5 kW	
HCL4	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 450 mm - 0.5 kW	
SB4	450 GRIDDLE SPLASHB	
SLS4	Lincat Silverlink 600 Free-standing Floor Stand - for units W 450 mm	

Technical Picture









SILVERLINK 600

Lincat frifri

Lincat Limited

Whisby Road, Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250 Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm