

SILVERLINK 600



GS6C/T - Lincat Silverlink 600 Electric Counter-top Griddle - Chrome Plate -Twin Zone - W 600 mm -4.0 kW Whether you're cooking eggs, bacon, burgers or vegetables, the versatile Silverlink 600 Electric Griddle won't let you down.

- Two separately controlled heat zones give you the option of operating either zone independently to provide a smaller cooking area during quiet periods as well as offering versatility when cooking two separate meals simultaneously
- Chrome surface heats up quicker than standard griddles with less energy loss as well as reduced energy radiation, keeping the kitchen cooler for staff and reducing pressure on the ventilation system.
- Transfers heat to food more efficiently than a standard griddle

- Thermostatically controlled to give accurate temperatures during the cooking process for consistent results
- Removable front drainer drawer which also makes for easy cleaning. Ideal for busy establishments
- The plate is fully welded into the frame to prevent leaks and places where food and carbon can build up

Specifications

Number of Heat Zones
Grill Plate Surface Type

Grill Plate Material

Summary Power and Performance Total Power kW **Brand** 4.0 Lincat Range Temperature Range °C 50-250 Silverlink 600 **IP Rating Power Type** Electric IP23 **Unit Type** Counter-top Cooking Area (Width x Depth) mm 562 x 405 Available in UK Only **Temperature Control** No Mechanical **UK Warranty** 2 Years Parts and Labour Warranty **Export Warranty** Contact your local dealer GTIN 5056105104889 **Key Specifications**

Weights and Dimensions		Supply Connections	Supply Connections	
Unit Height (External) mm Unit Width (External) mm Unit Depth (External) mm Net Weight Kg	330 600 620 41	Requires Installation Requires Electrical Supply UK 3 Pin Plug Requires Hardwiring Electrical Supply Rating Watts Single Phase Amps	Yes Yes No Yes 4,000	
		Single Phase Voltage Three Phase Amps Three Phase Voltage	230 L1=8.7; L2=8.7; L3=N/A 400	

Shipping		
Packed Weight Kg	54.1	
Packed Height cm	63.5	
Packed Width cm	70	
Packed Depth cm	70	

Smooth

Chrome





SILVERLINK 600


Available Accessories

CC6	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 600 mm
CN6	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 600 mm
HC6	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 600 mm - 0.5 kW
HCL6	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 600 mm - 0.5 kW
SB6	600 GRIDDLE SPLASHB
SLS6	Lincat Silverlink 600 Free-standing Floor Stand - for units W 600 mm

Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm



Product Code: GS6C/T Page Number: 3 Print Date: 05/02/2020