





LMR9/N - Lincat Phoenix Natural Gas Freestanding Oven Range - 6 Burners - W 900 mm -35.0 kW

The high quality Phoenix 6 Burner Gas Oven range offers power, durability, and excellent value for money.

- High quality, excellent performance, value for
- Powerful 4.5kW burners, with a fully pressed hob for easy cleaning
- Individual heavy-duty single cast iron supports, built to withstand the rigours of the busiest kitchen
- Robust and durable stainless steel design

- Powerful 8kW oven
- Large 4 x GN1/1 capacity oven enabling four different foods to be cooked simultaneously
- Double insulated doors and side panels for safe operation, efficiency and economy

Specifications

| Summary | | Power and Performance | |
|----------------------|-----------------------------------|---------------------------------|---------------|
| Brand | Lincat | BTU per Hour | 126,244 |
| Range | Phoenix | Total Power kW | 37.0 |
| Power Type | Gas | Temperature Range °C | 150-265[oven] |
| Gas Type | Natural Gas | Cooking Area (Width x Depth) mm | 880 × 572 |
| Unit Type | Free-standing | Temperature Control | Mechanical |
| Available in UK Only | No | Rating per Hob kW | 4.8 |
| UK Warranty | 2 Years Parts and Labour Warranty | Oven Rating kW | 8.2 |
| Export Warranty | Contact your local dealer | | |
| GTIN | 5056105102144 | | |

| Key Specifications | | Capacity | Capacity | |
|----------------------------|---|---------------------|---------------------|--|
| Number of Shelves included | 2 | Gastronorm Capacity | 2 x GN1/1 per shelf | |
| Number of Shelf Positions | 4 | | | |
| Number of Hobs | 6 | | | |

| Weights and Dimensions | | Supply Connections | |
|---------------------------|-------|---|---------|
| Unit Height (External) mm | 953 | Requires Installation | Yes |
| Unit Width (External) mm | 900 | Requires Electrical Supply | No |
| Unit Depth (External) mm | 730 | Gas Connection BSP | 1/2" |
| Height (Internal) mm | 480 | Gas Consumption at full rate Natural | 3.34 |
| Width (Internal) mm | 726 | m³ per Hour Gas Pressure Natural mbar | 20 |
| Depth (Internal) mm | 522 | Total heat input at full rate Natural | 37.0 |
| Shelf Dimensions Width mm | 710 | kW | 37.0 |
| Shelf Dimensions Depth mm | 522 | Total heat input at full rate Natural BTU per hour | 126,244 |
| Net Weight Kg | 131.1 | B to per flour | |

| Packed Weight Kg Packed Height cm | 149 104 |
|-----------------------------------|------------|
| Packed Width cm Packed Depth cm | 100 85 |

Available Accessories

LK01

NH II I

Product Code: LMR9/N Page Number: 1 Print Date: 29/01/2020





Available Accessories


LMR9/DR


DUCK RACK LMR9


LMR9/SB

SPLASHBACK LMR9

Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm