



## Glass Froster - Solid Door



### Key Features

- 85L capacity
- Available with glass or solid door
- -10°C to -5°C temperature range
- 304 stainless steel interior and exterior
- R134a refrigerant
- Doors with self closing system
- Removable magnetic gasket for easy cleaning
- Digital controller
- 32°C ambient temperature
- 2 years parts and labour warranty
- Ideal for busy bars and clubs

#### OUR WARRANTY\*

**2** YEARS PARTS **2** YEARS LABOUR

\* ACROSS MOST MODELS

# Glass Froster



## Full Specification

Page 1/2

Product Description	Solid Door
<b>GDPA model code</b>	GFSDR
<b>SKU code</b>	444443659
<b>Barcode</b>	5052263036598
<b>Product dimensions (mm) (WxDxH)</b>	510x510x850
<b>Packed dimensions (mm) (WxDxH)</b>	640x610x1030
<b>Product weight (kg)</b>	43
<b>Packed weight (kg)</b>	48
<b>Grade of stainless steel (exterior)</b>	304
<b>Gross capacity (L)</b>	85
<b>Net capacity (L)</b>	85
<b>Internal product dimensions (mm) (WxDxH)</b>	415x415x515
<b>Operating temperature</b>	-10°C to -5°C
<b>Ambient operating temperature</b>	32°C
<b>Defrost type</b>	Manual
<b>Self closing doors</b>	Yes
<b>Removable magnetic gasket</b>	Yes
<b>Digital temperature control</b>	Yes
<b>Internal light</b>	No
<b>Adjustable feet</b>	Yes
<b>Fitted lock</b>	-
<b>Number of shelves (total)</b>	1
<b>Shelf size (mm) (WxH)</b>	340x380
<b>Height adjustable shelves</b>	Yes
<b>Fan assisted condenser unit</b>	Yes
<b>Hertz (Hz)</b>	50

# Glass Froster



## Full Specification

Page 2/2

Product Description	Solid Door
Power rating (W)	210
Voltage supply (V)	230
UK 3 pin plug	Yes
Fitted cable length (M)	1.5
Refrigerant type	R134a