

## **SILVERLINK 600**



PB33 - Lincat Silverlink 600 Electric Counter-top Pasta Cooker - Single Tank - W 300 mm - 3.0 kW Not only does the Silverlink 600 Electric Pasta Boiler deliver perfect pasta every time, it also has the versatility to be used as a steamer and Bain Marie, too.

- Delivering perfect pasta, time after time
- Front mounted controls ensure safe working practice
- Hinging element with safety cut-out provides easy access to tank for cleaning
- Thermostatic control maintains accurate water temperature
- Enhanced resistance to punishing salt and starch corrosion with high quality grade 304 stainless steel tanks, basket support plates, and corrosion-resistant elements
- Front drain taps with straight drain pipes for fast, easy drainage of water - and no blockages
- Lid to reduce heat up time and also cover tanks when not in use

Summary		Power and Performance	
Brand Range Power Type Unit Type Available in UK Only UK Warranty Export Warranty	Lincat Silverlink 600 Electric Counter-top No 2 Years Parts and Labour Warranty Contact your local dealer	Total Power kW IP Rating Temperature Control	3.0 IP33 Mechanical
GTIN  Key Specifications	5056105100164	Capacity	
Number of Baskets Number of Tanks	0 1	Product Output per Hour Capacity Litres	5kg pasta - penne [fresh] 11
Weights and Dimensions		Supply Connections	
Unit Height (External) mm Unit Width (External) mm Unit Depth (External) mm Net Weight Kg	330 300 600 12.5	Requires Installation Requires Electrical Supply UK 3 Pin Plug Requires Hardwiring Electrical Supply Rating Watts Single Phase Amps Single Phase Voltage	No Yes Yes No 3,000 13.0 230
Shipping			
Packed Weight Kg	14.9		
Packed Height cm Packed Width cm Packed Depth cm	49.5 70 40		

### Available Accessories

BA112	BASKET PASTA
BA114	BASKET 1/2 PASTA
BA115	BASKET R/H 1/4 PASTA
BA116	BASKET L/H 1/4 PASTA





# **SILVERLINK 600**


#### **Available Accessories**

CC3	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal with Doors - W 300 mm
CN3	Lincat Silverlink 600 Free-standing Ambient Open-Top Pedestal without Doors - W 300 mm
HC3	Lincat Silverlink 600 Free-standing Heated Open-Top Pedestal with Doors - W 300 mm - 0.25 kW
HCL3	Lincat Silverlink 600 Free-standing Heated Pedestal with Legs and Doors - W 300 mm - 0.25 kW
SLS3	Lincat Silverlink 600 Free-standing Floor Stand - for units W 300 mm

### **Technical Picture**













**Lincat Limited** 

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

**Company No:** 2175448

A member company of

**Customer Care** 

**Tel:** +44 1522 875500

Email: care@lincat.co.uk

**Export Customers** 

**Tel:** +44 1522 503250

Email: export@lincat.co.uk

**Opening Hours** 

Monday - Friday:

8.30am - 5pm



Product Code: PB33 Page Number: 3 Print Date: 03/02/2020