

## **SILVERLINK 600**



SLR6C/N - Lincat Silverlink 600 Natural Gas Free-standing Oven Range - Castors at Rear -4 Burners - W 600 mm -23.8 kW Cook a variety of delicious dishes with the powerful Silverlink 600 Gas Oven Range.

- Rear castors to make moving oven range out for deeper cleaning easier
- Four powerful gas burners with flame failure device for added safety
- High power gas oven with side opening doors for easy access
- Fully pressed and sealed hob tops for easy cleaning
- Robust, easy-to-clean vitreous enamelled cast iron pan supports
- Low level flue maximises working area and enables you to use large stock pots
- Four shelf positions with two removable shelves

### **Specifications**

#### Summary **Power and Performance** Brand **BTU** per Hour 81,206 Total Power kW Range Silverlink 600 23.8 **Power Type** Gas Temperature Range °C 130-250 Gas Type **Temperature Control** Natural Gas Mechanical **Unit Type** Rating per Hob kW 4.5 Free-standing Available in UK Only Oven Rating kW No 5.8 **UK Warranty** 2 Years Parts and Labour Warranty **Export Warranty** Contact your local dealer **GTIN** 5056105105183 **Key Specifications** Number of Shelves included 2 **Number of Shelf Positions** 4 **Number of Hobs** Shape of Hob Round

Weights and Dimensions		Supply Connections	
Unit Height (External) mm	956	Requires Installation	Yes
Unit Width (External) mm	600	Requires Electrical Supply	No
Unit Depth (External) mm	600	Gas Connection BSP	1/2"
Height (Internal) mm	360	Gas Consumption at full rate Natural	2.27
Width (Internal) mm	480	m³ per Hour Gas Pressure Natural mbar	20
Depth (Internal) mm	342	Total heat input at full rate Natural	
Shelf Dimensions Width mm	460	kW	23.8
Shelf Dimensions Depth mm	342	Total heat input at full rate Natural BTU per hour	81,209
Hob Dimensions mm	W590 x D500	BTO per flour	
Net Weight Kg	67.9		



# **SILVERLINK 600**


### Shipping


Packed Weight Kg80Packed Height cm110Packed Width cm81.3Packed Depth cm68.5


### **Available Accessories**

SLR6/SB SPLASHBACK SLR6

### **Technical Picture**













**Lincat Limited** 

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

**Company No:** 2175448

A member company of

**Customer Care** 

**Tel:** +44 1522 875500

Email: care@lincat.co.uk

**Export Customers** 

**Tel:** +44 1522 503250

Email: export@lincat.co.uk

**Opening Hours** 

Monday - Friday:

8.30am - 5pm



Product Code: SLR6C/N Page Number: 3 Print Date: 03/02/2020