F58/902 - IMC SP12H Floor-mounted Potato Peeler - 1 Phase - H 1400 mm - 0.37 kW

The efficient, upright IMC Potato Peeler ensures short preparation times which in turn reduces costly wage bills and makes for better staff utilisation.

- Upright design - ideal for medium and large scale operations
- Perfect height to empty into a sink
- Hygienic and easy to clean
- WRAS approved Class A air-break and brass spray nozzle prevents any back siphonage of water into the mains supply
- Reversible corrosion-proof liners
- Dual position for waste outlet
- 2 minutes to peel a batch of 12 kilos of potatoes
- Single phase

Specifications

Summary

Brand	IMC
Range	SP Peeler
Power Type	Electric
Unit Type	Floor-mounted
Available in UK Only	No
UK Warranty	2 Years Parts and Labour Warranty
Export Warranty	Contact your local dealer
Mounting	Floor-mounted
GTIN	5056105198796

Power and Performance

Total Power kW	0.37
HP	0.5
IP Rating	IP55

Key Specifications

Operator Safety	User Guide
Timer	Yes
Drain Location	Right or left
WRAS Approved	WRAS Compliant
Airbreak	Yes

Capacity

Capacity Kg per Hour	220

Weights and Dimensions

Unit Height (External) mm	1388
Unit Width (External) mm	530
Unit Depth (External) mm	624
Net Weight Kg	50.5

Supply Connections

Requires Installation	Yes
Requires Electrical Supply	Yes
UK 3 Pin Plug	Yes
Requires Hardwiring	No
Motor Rating Watts	370
Single Phase Amps	6.2
Single Phase Voltage	230
Water Connection Pressure Bar	2.7-3.8 [40-55 psi]
Drain Connection	54mm
Water Connection	12mm

Shipping

Packed Weight Kg	60.5
Packed Height cm	148
Packed Width cm	57
Packed Depth cm	68

Available Accessories

A29/003	Lid Retaining Strap for SP/VQ Potato Peeler
S58/568	Filter Basket - Integral - for SP Potato Peeler
S58/569	Interceptor Tank - for SP Potato Peeler [pedestal mounted/2" BSP]
S58/570	Waste Ejector for SP Potato Peeler [2" BSP]

Technical Picture







Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 503250

Email: export@lincat.co.uk

Opening Hours

Monday – Friday:

8.30am - 5pm

A member company of

THE MIDDLEBY CORPORATION