

EB3FX/TALL - Lincat FilterFlow FX Countertop Automatic Fill Tall Water Boiler - 17 litres -3.0 kW

- For high volume requirements, with rapid draw off of 17 litres
- Easily operated from a large, colour touchscreen display. Menu navigation is quick and easy with the temperature and timer simple to adjust
- Narrow 250 mm footprint saves valuable counter space without compromising capacity or performance
- Built-in water filtration system improves water quality and reduces scale build-up. High volume, easy change FilterFlow cartridge

Supplied with a UK 3 pin plug, the large capacity EB3FX/TALL delivers a rapid draw off of 17 litres of high-quality filtered water from a narrow 250mm footprint, perfect for a coach load of thirsty passengers.

UK 3 pin plug

- Eco setting reduces the volume of boiling water by 50% for quieter periods. The intelligent predictive eco setting learns usage patterns and switches between eco mode and standard mode to deliver the required hot water output in the most economical way
- 7-day timer allows the boiler to be programmed to switch off overnight or at weekends to conserve energy
- Enhanced diagnostics identify possible causes. The on screen diagnostic information will enable the engineer to identify the parts needed and repair your water boiler at first visit

Specifications

| Summary | | Power and Performance | |
|---|---|---|---|
| Brand Range Series Power Type Unit Type Available in UK Only UK Warranty Export Warranty GTIN | Lincat FilterFlow FX Counter-top Boiler Electric Counter-top No 2 Years Parts and Labour Warranty Contact your local dealer 5056105118312 | Total Power kW Temperature Range °C IP Rating Hourly Output Litres Hourly Output Cups Temperature Control | 3.0 70-98 IPX3 31 155 Electronic |
| Key Specifications | | Capacity | |
| Outlet Dispense Lock WRAS Approved | Single Tap No No | Hot and Cold Water Output Rapid Draw Off Litres Rapid Draw Off Cups Capacity Litres | No 17.0 85 22.0 |
| Weights and Dimensions | | Supply Connections | |
| Unit Height (External) mm Unit Width (External) mm Unit Depth (External) mm Net Weight Kg | 685 250 525 16 | Requires Installation Requires Electrical Supply UK 3 Pin Plug Requires Hardwiring Electrical Supply Rating Watts Single Phase Amps Single Phase Voltage Water Connection Pressure Bar Water Connection | No Yes Yes No 3,000 13 240 2.0-6.0 3/4* |









| Shipping | | |
|------------------|------|--|
| Packed Weight Kg | 18.5 | |
| Packed Height cm | 53 | |
| Packed Width cm | 78.5 | |
| Packed Depth cm | 36.6 | |
| | | |

| Available Accessories | | |
|-----------------------|----------------------------------|--|
| BR56 | EB6FX WALL BRACKET | |
| EBHF01 | Lincat EB Hands Free Tap Adaptor | |

Technical Picture







lincat



Lincat frifri

Lincat Limited

Whisby Road, Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm