



OE8405 - Lincat Opus 800 Electric Counter-top Chargrill - W 600 mm - 8.4 kW

- Three multiple heat zones can form differing temperature on the same surface, allowing you to cook chicken fillets only inches away from steaks. Individual zones can be turned off during quiet periods.
- Uniquely designed radiant's add just the right level of flaring to enhance flavour whilst the heavy duty branding grids add the appetising finish
- Removable, durable, segmented cast iron grids impart attractive branding marks to food

Embrace the unique versatility of the Opus 800 Three-Zone Electric Chargrill, which provides three heat zones that can form differing temperature on the same surface, allowing you to cook chicken fillets only inches away from steaks.

- Hinging, interlocked elements and integral water bath makes cleaning easier
- Plumbed to water supply for quick and easy filling of water bath with alternative manual fill facility

Specifications

Summary		Power and Performance	
Brand Range Power Type Unit Type Available in UK Only UK Warranty Export Warranty GTIN	Lincat Opus 800 Electric Counter-top No 2 Years Parts and Labour Warranty Contact your local dealer 5056105102878	Total Power kW Temperature Range °C IP Rating Cooking Area (Width x Depth) mm Temperature Control	8.4 90-300 IP24 560 x 530 Mechanical
Key Specifications		Capacity	
Number of Heat Zones	3	Product Output per Hour	48 x 225g [8oz] steaks [chilled]
Weights and Dimensions		Supply Connections	
Unit Height (External) mm Unit Width (External) mm Unit Depth (External) mm Net Weight Kg	415 600 817 57	Requires Installation Requires Electrical Supply UK 3 Pin Plug Requires Hardwiring Electrical Supply Rating Watts Three Phase Amps Three Phase Voltage Water Connection Pressure Bar Drain Connection Water Connection	Yes Yes No Yes 8,400 L1=12.2; L2=12.2; L3=12.2 400 0.2-10.0 22 mm 3/4*


Shipping	
Packed Weight Kg	69
Packed Height cm	64
Packed Width cm	85
Packed Depth cm	70


lincat



Available Accessories				
OA8917	Lincat Opus 800 Free-standing Floor Stand with Legs - for units W 600 mm			
OA8917/C	Lincat Opus 800 Free-standing Floor Stand with Castors - for units W 600 mm			
OA8972	Lincat Opus 800 Free-standing Pedestal with Doors and Legs - for units W 600 mm			
OA8972/C	Lincat Opus 800 Free-standing Pedestal with Doors and Castors - for units W 600 mm			
OA8986	KEEP WARM SHELF - 0E8405			
OA8987	CONDIMENT HOLDER 2 × 1/9			

Technical Picture





lincat



Lincat fift

Lincat Limited

Whisby Road, Lincoln, LN6 30Z,

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm