lincat





OE8701 - Lincat Opus 800 Electric Free-standing Pasta Cooker - W 400 mm - 6.0 kW

steamer and Bain Marie but don't have the space for all of these appliances, then you'll love the Opus 800 Electric Pasta Boiler, which can do all of these things.

Starch removal system keeps water fresh

Boil dry protection

If you're looking for a pasta boiler,

- Flexible can be used as a pasta boiler, steamer or bain marie, saving valuable space
- Two position water setting: fast fill, or trickle fill for maintaining water level while cooking
- Direct connection to water supply and waste

Specifications

| Summary | | Power and Performance | Power and Performance | |
|---------------------------|-----------------------------------|--------------------------------|----------------------------|--|
| Brand | Lincat | Total Power kW | 6.0 | |
| Range | Opus 800 | Temperature Range °C | 130-190 | |
| Power Type | Electric | IP Rating | IP34 | |
| Unit Type | Free-standing | Temperature Control | Mechanical | |
| Available in UK Only | No | | | |
| UK Warranty | 2 Years Parts and Labour Warranty | | | |
| Export Warranty | Contact your local dealer | | | |
| GTIN | 5056105102458 | | | |
| Key Specifications | | Capacity | | |
| Number of Baskets | 0 | Gastronorm Capacity | 1 × GN1/1 | |
| Number of Tanks | 1 | Product Output per Hour | 7.5kg pasta - penne[fresh] | |
| | | Capacity Litres | 24 | |
| Weights and Dimensions | | Supply Connections | | |
| Unit Height (External) mm | 1020 | Requires Installation | Yes | |
| Unit Width (External) mm | 400 | Requires Electrical Supply | Yes | |
| Unit Depth (External) mm | 800 | UK 3 Pin Plug | No | |
| Net Weight Kg | 58.4 | Requires Hardwiring | Yes | |
| | | Electrical Supply Rating Watts | 6,000 | |
| | | Single Phase Amps | 26.1 | |
| | | Single Phase Voltage | 230 | |
| | | Three Phase Amps | L1=13.0; L2=13.0; L3=N/A | |
| | | Three Phase Voltage | 400 | |
| | | Water Connection Pressure Bar | 0.2-10.0 | |
| | | Drain Connection | 28 mm | |
| | | Water Connection | 3/4" | |
| | | | | |

Shipping

| 66.5 |
|------|
| 122 |
| 85 |
| 45 |
| 1 |

Available Accessories

OA8922


BASKET-PASTA BOILER - 298 × 328 × 230 DEEP


lincat




| Available Accessories | |
|-----------------------|---|
| OA8924 | BASKET-PASTA BOILER - 143 × 288 × 230 DEEP |
| OA8925 | PASTA BOILER BASKET 1/6 SQUARE - 143 × 163 × 230 DEEP |
| OA8926 | GASTRONORM & LID |
| OA8927 | GASTRONORM & LID |
| OA8928 | GASTRONORM & LID |
| OA8931 | GASTRONORM(PER)& LID |
| OA8932 | GASTRONORM(PER)& LID |

Technical Picture







lincat



lincat frifri

Lincat Limited

Whisby Road, Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday – Friday: 8.30am – 5pm