





OG8110/P - Lincat Opus 800 Propane Gas Freestanding Single Tank Fryer - 1 Basket - W 300 mm - 16.0 kW The incredibly accurate Opus 800 Single-Tank Free Standing Gas Fryer comes with an accurate thermostatic control that goes up to 190°C, ensuring consistent results and safe operation.

- Accurate thermostatic control up to 190°C for consistent results and safe operation
- Convenient piezo ignition

 Externally fired heating gives easy access for cleaning tanks

Summary		Power and Performance	
Brand	Lincat	BTU per Hour	54,592
Range	Opus 800	Total Power kW	16.0
Power Type	Gas	Temperature Range °C	90-190
Gas Type	Propane Gas	Temperature Control	Mechanical
Unit Type	Free-standing		
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105103127		
Key Specifications		Capacity	
Number of Baskets	1	Product Output per Hour	22kg chips - 12mm [frozen], 32kg chip
Number of Tanks	1	r roduct output per riodi	12mm [chi
Gravity Filtration	No	Capacity Litres	14.0
Pumped Filtration	No		
Drain Location	Through the body		
Weights and Dimensions		Supply Connections	
Unit Height (External) mm	1020	Requires Installation	Yes
Unit Width (External) mm	300	Requires Electrical Supply	No
Unit Depth (External) mm	815	Gas Connection BSP	1/2"
Net Weight Kg	70	Gas Consumption at full rate Propane m³ per Hour	1.14
		Gas Pressure Propane mbar	37.0
		Total heat input at full rate Propane kW	16.0
		Total heat input at full rate Propane BTU per hour	54,594
Shipping			
Packed Weight Kg	82.5		
Packed Height cm	122		
Packed Width cm	85		
Packed Depth cm	45		

Available Accessories CH01 Caterflex Hose 1/2" - 1 Metre - for use with units up to 66,000 BTU CH02 Caterflex Hose 1/2" - 1.5 Metre - for use with units up to 56,000 BTU LK02 OPUS 350 LEG KIT





Available Accessories


OA8955 SPLASHGUARD FRYERS - OPUS 800

OF1 Oil filter kit - size 1

Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm

Product Code: 0G8110/P Page Number: 3 Print Date: 27/01/2021