



## OG8201/P - Lincat Opus 800 Propane Gas Counter-top Griddle - W 600 mm - 15.5 kW

Cooking a Full English Breakfast has never been easier than it is with the Opus 800 Gas Steel Griddle, which utilises a maximised cooking area.

- ✓ Maximised cooking area, griddle plates sit flush to the sides of the unit
- ✓ Two separately controlled heat zones give you the option of operating either zone independently to provide a smaller cooking area during quiet periods as well as offering versatility when cooking two separate meals simultaneously
- ✓ Flame failure protection
- ✓ Precise thermostatic control up to 280°C for consistent results and economical operation

### Specifications

| Summary                     |                                   | Power and Performance                  |            |
|-----------------------------|-----------------------------------|--|------------|
| <b>Brand</b>                | Lincat                            | <b>BTU per Hour</b>                    | 52,886     |
| <b>Range</b>                | Opus 800                          | <b>Total Power kW</b>                  | 15.5       |
| <b>Power Type</b>           | Gas                               | <b>Temperature Range °C</b>            | 90-280     |
| <b>Gas Type</b>             | Propane Gas                       | <b>Cooking Area (Width x Depth) mm</b> | 590 x 600  |
| <b>Unit Type</b>            | Counter-top                       | <b>Temperature Control</b>             | Mechanical |
| <b>Available in UK Only</b> | No                                |  |            |
| <b>UK Warranty</b>          | 2 Years Parts and Labour Warranty |  |            |
| <b>Export Warranty</b>      | Contact your local dealer         |  |            |
| <b>GTIN</b>                 | 5056105102687                     |  |            |

| Key Specifications              |        | Capacity                       |                                   |
|---------------------------------|--------|--------------------------------|-----------------------------------|
| <b>Number of Heat Zones</b>     | 2      | <b>Product Output per Hour</b> | 128 x 225g [8oz] steaks [chilled] |
| <b>Grill Plate Surface Type</b> | Smooth |                                |                                   |
| <b>Grill Plate Material</b>     | Steel  |                                |                                   |

| Weights and Dimensions           |      | Supply Connections  |      |
|----------------------------------|------|---|------|
| <b>Unit Height (External) mm</b> | 532  | <b>Requires Installation</b>                              | Yes  |
| <b>Unit Width (External) mm</b>  | 600  | <b>Requires Electrical Supply</b>                         | No   |
| <b>Unit Depth (External) mm</b>  | 800  | <b>Gas Connection BSP</b>                                 | 1/2" |
| <b>Net Weight Kg</b>             | 79.5 | <b>Gas Consumption at full rate Propane m³ per Hour</b>   | 1.11 |
|                                  |      | <b>Gas Pressure Propane mbar</b>                          | 37.0 |
|                                  |      | <b>Total heat input at full rate Propane kW</b>           | 15.5 |
|                                  |      | <b>Total heat input at full rate Propane BTU per hour</b> | 15.5 |

| Shipping                |       |
|-------------------------|-------|
| <b>Packed Weight Kg</b> | 87.45 |
| <b>Packed Height cm</b> | 63    |
| <b>Packed Width cm</b>  | 70    |
| <b>Packed Depth cm</b>  | 85    |




### Available Accessories

- CH01** Caterflex Hose 1/2" - 1 Metre - for use with units up to 66,000 BTU
- CH02** Caterflex Hose 1/2" - 1.5 Metre - for use with units up to 56,000 BTU
- OA8917** Lincat Opus 800 Free-standing Floor Stand with Legs - for units W 600 mm

Available Accessories

- OA8917/C Lincat Opus 800 Free-standing Floor Stand with Castors - for units W 600 mm
- OA8972 Lincat Opus 800 Free-standing Pedestal with Doors and Legs - for units W 600 mm
- OA8972/C Lincat Opus 800 Free-standing Pedestal with Doors and Castors - for units W 600 mm

Technical Picture





**Lincat Limited**

Whisby Road,  
Lincoln, LN6 3QZ,  
United Kingdom

**Company No:** 2175448

A member company of



**Customer Care**

**Tel:** +44 1522 875500  
**Email:** care@lincat.co.uk

**Export Customers**

**Tel:** +44 1522 875536  
**Email:** export@lincat.co.uk

**Opening Hours**

**Monday – Friday:**  
8.30am – 5pm