



OG8202/C/N - Lincat Opus 800 Natural Gas Counter-top Griddle -Chrome Plate - W 900 mm - 23.0 kW

Chrome surface heats up quicker than standard griddles with less energy loss as well as reduced energy radiation, keeping the kitchen cooler for staff and reducing pressure on the ventilation system

 Transfers heat to food more efficiently than a standard griddle

Two separately controlled heat zones give you the option of operating either zone independently to provide a smaller cooking area during quiet periods as well as offering versatility when cooking two separate meals simultaneously Designed for quality cooking at speed, the Opus 800 Gas Chrome Griddle heats up quicker than standard griddles with less energy loss as well as reduced energy radiation, keeping the kitchen cooler for staff and reducing pressure on the ventilation system.

Convenient piezo ignition and pilot Burners for stand-by operation

Flame failure protection

### Specifications

Summary		Power and Performance	
Brand	Lincat	BTU per Hour	78,476
Range	Opus 800	Total Power kW	23.0
Power Type	Gas	Temperature Range °C	90-280
Gas Type	Natural Gas	Cooking Area (Width x Depth) mm	890 x 600
Unit Type	Counter-top	Temperature Control	Mechanical
Available in UK Only	No		
UK Warranty	2 Years Parts and Labour Warranty		
Export Warranty	Contact your local dealer		
GTIN	5056105102724		
Key Specifications		Capacity	
Number of Heat Zones	2	Product Output per Hour	160 x 225g[8oz]steaks[chilled]
Grill Plate Surface Type	Smooth		
Grill Plate Material	Chrome		
Weights and Dimensions		Supply Connections	
Unit Height (External) mm	532	Requires Installation	Yes
Unit Width (External) mm	900	Requires Electrical Supply	No
Unit Depth (External) mm	800	Gas Connection BSP	1/2"
Net Weight Kg	108	Gas Consumption at full rate Natural m <sup>3</sup> per Hour	2.19
		Gas Pressure Natural mbar	20.0
		Total heat input at full rate Natural kW	23
		Total heat input at full rate Natural BTU per hour	23







# Shipping


Packed Weight Kg	118.8
Packed Height cm	63
Packed Width cm	100
Packed Depth cm	85

Available Access	ories
OA8914	Lincat Opus 800 Free-standing Floor Stand with Legs - for units W 900 mm
OA8914/C	Lincat Opus 800 Free-standing Floor Stand with Castors - for units W 900 mm
OA8973	Lincat Opus 800 Free-standing Pedestal with Doors and Legs - for units W 900 mm
OA8973/C	Lincat Opus 800 Free-standing Pedestal with Doors and Castors - for units W 900 mm

## **Technical Picture**







lincat



# Lincat fift

### Lincat Limited

Whisby Road, Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500 Email: care@lincat.co.uk

### **Export Customers**

Tel: +44 1522 875536

Email: export@lincat.co.uk

### **Opening Hours**

Monday – Friday: 8.30am – 5pm