



C6R/100SU - Lincat Seal 650 Series Counter-top **Curved Front** Refrigerated Merchandiser - Self-Service - Under-Counter Power Pack - W 1000 mm - 0.7 kW

Enhance your food sales by showcasing sandwiches, baguettes, yoghurts, fruit and drinks in the Seal 650 Range Curved Front Refrigerated Merchandiser.

- Using precise thermostatic control this unit holds food from 3°C - 7°C. It enables the user to accurately monitor the temperature of product for the absolute best results
- Digital display which gives clear indication of temperature to the user
- The unit is double glazed which keeps the cool air locked in, this in turn gives the customer better results while also saving money through energy efficiency.
- Provides daylight balanced illumination, which lights up the units interior and spotlights each product
- Options for self service or back service are also available.
- Spacious unit enabling you to showcase a wide variety of product

Unit Height (External) mm

Unit Width (External) mm

Unit Depth (External) mm

Shelf Dimensions Width mm

Shelf Dimensions Depth mm

Height (Internal) mm

Width (Internal) mm

Depth (Internal) mm

Net Weight Kg

755

1000

650

560

960

570

900

525

96

| Specifications | | | |
|----------------------------|-----------------------------------|-----------------------|------------|
| Summary | | Power and Performance | |
| Brand | Lincat | Total Power kW | 0.700 |
| Range | Seal | Temperature Range °C | 3-7 |
| Series | 650 Series | IP Rating | IP33 |
| Power Type | Electric | Temperature Control | Electronic |
| Unit Type | Counter-top | | |
| Available in UK Only | No | | |
| UK Warranty | 2 Years Parts and Labour Warranty | | |
| Export Warranty | Contact your local dealer | | |
| GTIN | 5056105103882 | | |
| Key Specifications | | | |
| Number of Shelves included | 2 | | |
| Number of Shelf Positions | 2 | | |
| Refrigerant Type | R452a | | |
| Service Type | Self service | | |
| Type of Lighting | Fluorescent | | |
| Weights and Dimensions | | Supply Connections | |

Requires Installation

Requires Hardwiring

Single Phase Amps

Single Phase Voltage

UK 3 Pin Plug

Requires Electrical Supply

Electrical Supply Rating Watts

No

Yes

No

717

3.11

230





Shipping


 Packed Weight Kg
 105.6


 Packed Height cm
 124


 Packed Width cm
 112

 Packed Depth cm
 80

Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

nited Kingdom

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm

Product Code: C6R/100SU Page Number: 3 Print Date: 09/03/2021