



P8SP4PT - Lincat Panther SuperPass Series Free-standing Hot Cupboard - Bain Marie Top - W 1800 mm - 11.62 kW

Offering unrivalled versatility, the Panther Super Pass Hot Cupboard is built for high demanding environments, with multiple hot holding and cooking functions in one mobile unit.

- ✓ For high output, demanding environments this incredibly versatile pass offers multiple hot holding and cooking functions in one mobile unit. The pass includes a Carter Hoffmann Crisp 'N Hold for holding chips and breaded products such as chicken nuggets, 2 x 1/1GN bain marie for hot holding sauces, soups, gravy and precooked foods and 2 x water tanks, suitable for boiling vegetables, pasta etc.
- ✓ Thernostatically controlled bain marie
- ✓ Accurate digital electronic control of water tanks
- ✓ Individual drain tap for each water tank at the rear
- ✓ Castors as standard
- ✓ Three tier heated gantries
- ✓ Pass through hot cupboard
- ✓ Fully 1/1GN compatible hot cupboard accommodating 4 1/1 gastronorms

Specifications

Summary Power and Performance

<p>Brand Lincat</p> <p>Range Panther</p> <p>Series SuperPass</p> <p>Power Type Electric</p> <p>Unit Type Free-standing</p> <p>Available in UK Only No</p> <p>UK Warranty 2 Years Parts and Labour Warranty</p> <p>Export Warranty Contact your local dealer</p> <p>GTIN 5056105109860</p>	<p>Total Power kW 11.62</p> <p>IP Rating IP24</p> <p>Temperature Control Top: Mechanical; Bottom: Electronic</p>
--	---

Key Specifications Capacity

<p>Drain Location Rear-mounted</p> <p>Number of Shelves included 1</p> <p>Number of Shelf Positions 1</p> <p>Pot Type Gastronorm</p> <p>Type of Heat Wet/Dry</p> <p>Heated Base Yes</p> <p>Heated Gantry Yes</p> <p>Static or Mobile Mobile</p>	<p>Gastronorm Capacity 4 x GN1/1</p> <p>Plate Capacity 396</p>
---	--

Weights and Dimensions **Supply Connections**

Unit Height (External) mm	1908
Unit Width (External) mm	1880
Unit Depth (External) mm	900
Height (Internal) mm	405
Width (Internal) mm	1,400
Depth (Internal) mm	490
Shelf Dimensions Width mm	1,334
Shelf Dimensions Depth mm	490
Net Weight Kg	200

Requires Installation	Yes
Requires Electrical Supply	Yes
UK 3 Pin Plug	No
Requires Hardwiring	Yes
Electrical Supply Rating Watts	11,620
Three Phase Amps	L1=17.4; L2=17.4; L3=15.7
Three Phase Voltage	400




Shipping

Packed Weight Kg	220
Packed Height cm	200
Packed Width cm	190
Packed Depth cm	90

Available Accessories

PLK/S	PLK/S - LEG KIT [FOR CONVERSION IN THE FIELD]
--------------	---

Technical Picture



Lincat Limited

Whisby Road,
Lincoln, LN6 3QZ,
United Kingdom

Company No: 2175448

A member company of



Customer Care

Tel: +44 1522 875500
Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536
Email: export@lincat.co.uk

Opening Hours

Monday – Friday:
8.30am – 5pm