

UD512DSUK



NEW PRODUCT

Professional front loading dishwasher, double skinned, double 500mm basket

Product Family	Dishwashers
Type	Undercounter Dishwasher
Line	TOPLINE
Basket dimensions	2 baskets 500x500mm
Outside dimensions (WxDxH)	600x600x820mm

TECHNICAL SHEET

TECHNICAL DATA

Structure: Double skinned and insulated, in AISI 304 stainless steel

Characteristic: Dishwasher with the ability to wash two 500x500mm baskets at once

Control type: Electronic

Basket dimensions: 2 baskets 500x500mm

Baskets per hour: 120/80/48/40

Number of programs: 7

Thermo-acoustic insulation: door and wash chamber

Rinse aid dispenser: Peristaltic pump with electronic adjustment

Detergent dispenser: Peristaltic pump with electronic adjustment

Useable loading height: 415 mm

Wash tank capacity: 11L

Boiler capacity: 6L

Boiler heating element: 5kW 1ph / 5kW 3ph / 3.3kW 1ph / 1.7kW 13amp

Wash tank heating element: 0.8kW

Outside dimensions (WxDxH): 600x600x820mm

Power supply / Total power installed: 230V 1N 50Hz / 5.7kW - 400V 3N 50Hz / 5.7kW - 230V 1N 50Hz / 4.0kW - 230V 1N 50Hz / 2.7kW

Weight (net/gross): 68/76 Kg

Integral water softener: yes

Wash system: Wash pump with 'Soft start' system

Wash pump: 0.7kW

Rinse system: Atmospheric boiler and rinse pump (HTR system)

Drain system: Drain pump and triple stage dynamic filter

Wash capacity: simultaneously two baskets 500x500mm

Upper basket: suitable for plates and saucers. Can be positioned on two different heights

Upper basket usable washing height: 145 / 225 mm

Lower basket: suitable to wash glasses and cups

Lower basket usable washing height: 190 / 110 mm

Dishwasher capable of washing two 500x500mm baskets simultaneously

Double skinned tank with rounded corners

Balanced and insulated double skinned door with gasket

Thermostop for controlling the rinse water temperature

Self-diagnosis system with fault warning

Insulated boiler

Drain system through a drain pump and triple stage dynamic filter

'Stand-by' function of the heating elements during periods of non-use

2 x wash arms in AISI 304 stainless steel

2 x rinse arms in AISI 304 stainless steel

Self cleaning cycle available as standard

Non-return valve on water supply

Automatic partial replacement of water in the wash tank by drain pump between wash and rinse cycle

Cycle automatically starts when closing the door/hood (optional)

ACCESSORIES

[PB50G01](#) - universal basket with flat bottom

[PB50D01](#) - Basket for dishes, max 18 pieces Ø 250mm

[WB50G01](#) - Wide-mesh wire basket with flat bottom

[WB50D01](#) - Wire basket for 18 dishes Ø 250mm and self-service trays

[WB50T02](#) - Basket for 7 x 1/1 GN trays, max 20mm deep

[PHOOS01](#) - Single cutlery basket

[PHOOS02](#) - Cutlery basket with 6 compartments

[PHOOS03](#) - Cutlery basket with 8 compartments

[WP02](#) - Stand for 500x500 glasswasher / dishwasher

KITSONLIV

EQUIPMENT

1 [PB50D01](#) - Basket for dishes, max 18 pieces Ø 250mm

1 [PB50G01](#) - universal basket with flat bottom

Do you need more information about this product? Contact us and we will reply to you as soon as possible.

[CONTACT US](#)