Store your products in undercounter refrigeration for convenience and an efficient kitchen.

Undercounter cabinets



Storage Refrigeration

Undercounter cabinets 🗩

- These convenient, practical and tough undercounter cabinets offer on-the-spot storage of products right where it's needed
 - at the point of preparation.
- Undercounter refrigeration is perfect for tight kitchen areas as they use less space under the work bench for refrigerated storage.
- Front breathing refrigeration systems on all models, makes the range suitable for use in enclosed areas.



240

150, 200 and 360 models

Glass door versions also available.

360



Hydrocarbon

Refrigerant

GN1/1 storage on a small footprint.





e in enclosed are	eas.	
	o	。 。
120	150	200

Dimensions (w x d x h) mm	440 x 745 x 895	-	605 x 640 x 830	-	684 x 755 x 824	-	870 x 745 x 895	-	1217 x 755 x 824	-
Gross volume (Litres)	120	-	150	-	200	-	240	-	360	-
No. of shelves	2	-	2	-	2	-	4	-	4	-
Refrigerator (+3/+5°C)	-	-	HR150	A+	HR200***	A+	-	-	HR360	В
Refrigerator (+3/+5°C)	-	-	HR1502D*	A+	-	-	-	-	-	-
Refrigerator (+3/+5°C)	-	-	HR1503D**	A+	-	-	-	-	-	-
Glass door Refrigerator (+3/+5°C)	-	-	HR150G	А	HR200G***	А	-	-	HR360G	В
Refrigerator (+1/+4°C)	HR120	А	-	-	-	-	HR240	С	-	-
Freezer (-18/-21°C)	LR120	E	LR150	+	LR200***	G	LR240	G	LR360	F

Energy grade***

Specifications

Configurations

*2 Drawer model. **3 drawer model



NB: Please specify all options required at the time of ordering

High temp models only
Additional nylon coated shelf

Also:

Left hand hinged door







[†] Ecodesign Regulation does not currently apply to this product type, and therefore an energy grade cannot be shown *** Based on standard hydrocarbon refrigerant specification. Full energy listings available at fosterrefrigerator.com

Storage

Refrigeration

Low level counters \bigcirc

Heavy duty cooking equipment can rely on the support of the Foster low level counters

Undercounter refrigeration is provided at the point of cooking, 0 offering a base for a char-grill, griddle or broiling top. Ideal for quick service restaurants and pubs as it provides refrigerated storage underneath the cooking area itself.

Specifications

Configurations	LL2/1HD		LL2//1HDRW		LL2/4H		
Dimensions (w x d x h) mm	1245 x 800 x 645	-	1030 x 800 x 645	-	1900 x 800 x 645	-	
No. of Drawers	2	-	2	-	4	-	
Refrigerator (+1/+4°C)	LL2/1HD	С	LL2/1HDRW	С	LL2/4H	С	

Energy grade*



100mm legs in lieu of castors

NB: Please specify all options required at the time of ordering



Designed to carry up to 300kg (evenly spread) invaluable to any quick service cook-off station.



Hydrocarbon Refrigerant

1

Robust build heavy duty handles and fixings to withstand constant use.

