

Product specification



FSL400M: 400 Ltr Slimline Cabinet Refrigerator

11-312

Single door meat storage cabinet

Features and benefits

- When space is a prime concern Slimline cabinets provide the ideal storage solution
- Fitted with Foster's revolutionary +stayclear condenser as standard, reducing the need for disruptive site maintenance and offering incredible efficiencies
- Bottom mounted refrigeration system draws air from the cooler part of the kitchen ensuring efficient operation
- Updated white LED electronic temperature display for accurate control and clear visual reference
- Keep produce safe while the kitchen is closed with door locks as standard
- Easy-wipe dished liner base means split liquids will pool at the centre of the base, avoiding getting into any joins
- Easy access pocket door handles give speed and efficiency in a busy kitchen environment Stainless steel exterior finish with 304 stainless steel door provides a durable product suitable for tough kitchen usage
- Slender design, big performance! High quality forced air refrigeration system will operate up to 40°C (ISO Climate Class 5)

Technical

Refrigerant R290 **Temperature** Meat -2/+2°C **Electrical** 230/50/1

supply

Fuse rating (A) 10 2.5 Current (A) Power (W) 430 Refrigerant 70

mass (g)

Build

Cabinet type Standard

Pressed

liner

Door material 304

Stainless

steel

Finish ext/int

S/S & Alu

Number of

1

sections

System

Right hinge

Section configuration

Integral

Dimensions

Height (mm) 1910 Width (mm) 600 Depth (mm) 705 **Gross volume**

400

(ltr)

Net volume

267.8

(ltr)

Leg type

Castors

Gross weight

99.41

(kg)

Net weight

86

(kg)

Energy

Climate Class 5

AEC (kWh) 437

GWP

Thank you for your interest in this product. We hope you now have everything you need to choose Foster, however if you have any further questions, please do not hesitate to contact us.

Foster Refrigerator, Oldmedow Road, King's Lynn, Norfolk, PE30 4JU +44 (0)1553 691122 | sales@foster-gamko.com | www.fosterrefrigerator.com

All images shown are for illustration purpose only. All images and photographs are not intended to be relied upon for, nor to form part of, any contract unless specifically incorporated in writing into the contract. Solely the dimensions and specifications incorporated in the quotation or purchase order confirmation shall be contractually binding.