



Under counter

Shallow drawers + cover top



Applications

- Bulk storage at the point of use
- Ideal for meat, deli and larder prep
- Suitable for pastry and dessert prep
- Perfect storage for garnish and 'mise en place' generally
- Frozen storage next to deep fry station, with worktop mounted Fry Basket Rack as an optional extra

Storage Capacity

Gastronorm (GN) Pans
4 x 1/1 GN
75 mm Deep
or equivalent (per Drawer)

Maximum Weight
30 kg of Food (per Drawer)


Volume
65 Litres (per Drawer)

Hydrocarbon R600a Refrigerant

Shallow drawer

'B' Energy Rating
in Freezer Mode

'A' Energy Rating
in Fridge Mode
(Consumption 325
kWh/annum)



Climate Testing

Tested to **Climate Class 4**
(30°C & 55% relative humidity)
for temperature and energy
consumption and to **Climate
Class 5** (40°C & 40% relative
humidity) for temperature

Electrical

Mains Supply
230 Vac 50 Hz

Power Socket (included)
Correct 2 or 3 Pin Plug
fitted for each country

Mains Lead (included)
2 Metre Coiled Lead






Options

UNDER COUNTER + COVER TOP (T)	High castor base (HC)		Standard castor base (C)		Small castor base (SC)		Rollers & feet base (R)		Small rollers & feet base (SR)		Locking roller base (L)		Small locking roller base (SL)	
Finished height	846 mm	VLS2/HCT	775 mm	VLS2/CT	754 mm	VLS2/SCT	730 mm	VLS2/RT	720 mm	VLS2/SRT	730 mm	VLS2/LT	720 mm	VLS2/SLT
Load-bearing capacity	0 kg		0 kg		0 kg		0 kg		0 kg		0 kg			

For full options please see our [Drawer Customising and Accessories](#) pages


Plan View

Under counter (VLS2)
With open drawer



Elevation

Under counter
Shallow drawer (VLS2)
Standard castors (C)
Cover top (T)
VLS2/CT



Tops



Double
Drawer
Module



Base

